

# Example: Long-Term Storage In (Upstream)



- Shipper AAA has an upstream long-term storage contract in place with Colonial and would like to place this batch into storage.
- The shipper will nominate this request directly from T4

Batch Details: CPL-AAA-62-611 (apotts)

- In T4, shipper changes delivery to “Local Storage In”
- Location UVJ is used for Upstream Virtual Junction
- Sup/Con is always the shipper’s code and Tankage is always CPC
- Linked shipper and product the same; cycle is always “00” and sequence is origin code of the nomination. Origin codes are for storage tracking only.

## 4 Nominations

Event Type	Volume	UOM	Loc	Location Description	S/C	Tnk
Receipt	25	MBbls	HTN	Houston (HTN)	XXX	XXX
Junction	25	MBbls	GBJ	Greensboro J...	CPL	CPL
Junction	25	MBbls	LNJ	Linden Junctio...	CPL	CPL
Delivery	25	MBbls	LND	Linden Deliver...	XXX	XXX

A	Houston (PDA, CBL, HTN)
E	Hebert (HEB, NPA, PAP)
K	Lake Charles (LKC)
S	Krotz Springs (KSG)
B	Baton Rouge (BEG, BEL)
C	Collins (CLL, CSL, PWL)

Event Type	Volume	Location	Sup/Con	Tankage	Grantees	Link Shipper	Link Product	Link Cycle	Link Sequence
Junction	25	UVJ	CPL	CPL					
Locl Storage In ▾	25	UVJ ▾	AAA	CPC	Add	AAA	62	00	A
Receipt ▾	25	HTN ▾	XXX ▾	XXX ▾	Add				



# Example: Long-Term Storage Out (Upstream)

Batch Code

Carrier\*  Shipper\*  Product\*  Cycle\*  Sequence  Batch Year\*

Batch Remarks

## 2 Nominated Events

Event Type	Volume	Location	Sup/Con	Tankage	Grantees	Link Shipper	Link Product	Link Cycle	Link Sequence
Locl Storage Out	25	UVJ	AAA	CPC	Add	AAA	62	00	A
Delivery	25	LND	XXX	XXX	Add				

A	Houston (PDA, CBL, HTN)
E	Hebert (HEB, NPA, PAP)
K	Lake Charles (LKC)
S	Krotz Springs (KSG)
B	Baton Rouge (BEG, BEL)
C	Collins (CLL, CSL, PWL)

- In T4, shipper creates a new batch, using “Local Storage Out” as the origin
- Location UVJ is used for Upstream Virtual Junction
- Sup/Con is always the shipper’s code and Tankage is always CPC
- Linked shipper and product the same; cycle is always “00” and sequence is origin code of barrels being lifted from storage. Origin codes are for storage tracking only.



# Example: Long-Term Storage Out (Upstream) #2



## Batch Code

Carrier*	Shipper*	Product*	Cycle*	Sequence	Batch Year*
CPL - Colonial	BBB - BBB Test	62	63	1	2021

## Additional Information

Shipper Batch ID	Batch Remarks
<input type="text"/>	<input type="text"/>

## 2 Nominated Events

Event Type	Volume	Location	Sup/Con	Tankage	Grantees	Link Shipper	Link Product	Link Cycle	Link Sequence
Transfer Receipt ✓	25	UVJ ↓	AAA ↓	CPC ↓		AAA	62	00	A
Delivery ↓	25	LND ↓	XXX ↓	XXX ↓					

A	Houston (PDA, CBL, HTN)
E	Hebert (HEB, NPA, PAP)
K	Lake Charles (LKC)
S	Krotz Springs (KSG)
B	Baton Rouge (BEG, BEL)
C	Collins (CLL, CSL, PWL)

- In T4, shipper creates a new batch, using “Transfer Receipt” as the origin
- Location UVJ is used for Upstream Virtual Junction
- Sup/Con is always the shipper’s code that is providing the barrels and Tankage is always CPC
- Linked shipper and product the same; cycle is always “00” and sequence is origin code of barrels being lifted from storage. Origin codes are for storage tracking only.

# Example: Long-Term Storage In (Downstream)

- Shipper AAA has a downstream long-term storage contract in place with Colonial and would like to place batch AAA-62-611 into storage.
- The shipper will nominate this movement request from T4

- In T4, shipper changes delivery to “Local Storage In”
- Location DVJ is used for Downstream Virtual Junction
- Sup/Con is always the shipper’s code and Tankage is always CPC
- Linked shipper and product the same; cycle is always “00” and sequence is origin code of the nomination. Origin codes are for storage tracking only.

Batch Details: CPL-AAA-62-611-

**4 Nominations**

Event Type	Volume	UOM	Loc	S/C	Tnk
Receipt	25	MBbbls	HTN	XXX	XXX
Junction	25	MBbbls	GBJ	CPL	CPL
Junction	25	MBbbls	LNJ	CPL	CPL
Delivery	25	MBbbls	LND	XXX	XXX

A	Houston (PDA, CBL, HTN)
E	Hebert (HEB, NPA, PAP)
K	Lake Charles (LKC)
S	<u>Krotz Springs</u> (KSG)
B	Baton Rouge (BEG, BEL)
C	Collins (CLL, CSL, PWL)

**2 Nominated Events**

Event Type	Volume	Location	Sup/Con	Tankage	Grantees	Link Shipper	Link Product	Link Cycle	Link Sequence
Receipt	25	HTN	XXX	XXX					
Locl Storage In	25	DVJ	AAA	CPC		AAA	62	00	A



# Example: Long-Term Storage Out (Downstream)

- In T4, shipper creates a new batch, using “Local Storage Out” as the origin
- Location DVJ is used for Downstream Virtual Junction
- Sup/Con is always the shipper’s code and Tankage is always CPC
- Linked shipper and product the same; cycle is always “00” and sequence is origin code of barrels being lifted from storage. Origin codes are for storage tracking only.

**Batch Code**

Carrier\*  Shipper\*  Product\*  Cycle\*  Sequence  Batch Year\*

**Additional Information**

Shipper Batch ID

Batch Remarks

## 2 Nominated Events

Event Type	Volume	Location	Sup/Con	Tankage	Grantees	Link Shipper	Link Product	Link Cycle	Link Sequence
Local Storage Out	25	DVJ	AAA	CPC		AAA	62	00	A
Delivery	25	LND	XXX	XXX					

A	Houston (PDA, CBL, HTN)
E	Hebert (HEB, NPA, PAP)
K	Lake Charles (LKC)
S	Krotz Springs (KSG)
B	Baton Rouge (BEG, BEL)
C	Collins (CLL, CSL, PWL)