





PRESENTERS



Asset Manager – System Storage, CTL 678-762-2278 (o)

678-333-3828 (m)

dwiseman@colpipe.com

Aaron Potts

Senior Scheduler 678-762-2616 (o)

apotts@colpipe.com

Jim Swanson

Senior Scheduler 678-762-2837 (o)

jswanson@colpipe.com



Anti Trust Admonition

- In compliance with the Interstate Commerce Act (Section 15(13)), Colonial Pipeline will not disclose or discuss the nature or kind of product tendered to or delivered by Colonial Pipeline for a particular shipper, the quantity of such product, the destination or routing of such product, or the identity of the shipper or recipient of such product.
- None of the attendees should disclose or discuss any non-public information of a competitively sensitive nature, including individual shippers' pricing, costs, capacity, production, marketing or future business plans

Colonial System Storage






Capacity Available for Lease

Capacity Needed for Throughput

System Storage Overview



Provides operational flexibility.

• Financial incentives related to storing product during periods of advantageous market conditions.


Synergistic with Colonial's core business.



System Storage

COLONIAL PI PELINECO.

System storage has four variations:








Short-Term Storage

- Short-Term Storage
 - 95% terminal constraints/5% commercial opportunities
 - Short-term storage is an important tool used to avoid pipeline disruption
 - Short-term storage costs \$2000/5000 bbls./cycle in 5000 bbl. increments




Short Term Storage Process


 Execution of a Short Term Storage Master Service Agreement(MSA)



 Enter a nomination request in T4 for the batch, volume and number of cycles would like Colonial to store



 Colonial scheduling team reviews the nomination requests and if the space is available approves the request.



*Contact Dale Wiseman regarding the execution of the Agreement: dwiseman@colpipe.com



System Storage



- Example: A customer requests 100,000 bbls. of 54 grade short term storage for six cycles.
 - Colonial may notify the customer only 50,000 bbls. of 54 grade is available for three cycles, and when the three cycles is getting close to ending Colonial will re-evaluate the system to determine if Colonial can hold the product for an additional two to three cycles.
 - The customer would need to make other arrangements for the remaining 50,000 bbls.
 - If at the end of the three cycles, the customer still can't hold the 50,000 bbls., and requests Colonial to hold the product for an additional three cycles, Colonial will determine if we have the necessary tank space and will notify the customer if we can accommodate their request.





Long-Term System Storage

- System storage is leased for all major fungible grades.
- Concentrating on A, F, M, 54 and 62 grades.
- Fungibility is the key.
- Long-term storage is defined as more than one month in duration.
- Typically three months or more.
- No handling charges associated with "turns" into/out of storage.
- Gasoline grades must transition with RVP transition calendar.
- All volumes moved into or out of system storage are subject to any applicable line allocations.



Long-Term System Storage - Downstream

- Downstream System Storage requires the shipper to use allocated space to get barrels into the storage.
- PTOs into and out of downstream system storage are allowed.
- Nominations into and out of downstream system storage are made one cycle in advance of the applicable cycle hitting Greensboro, NC.
- Volumes coming out of downstream system storage can be nominated to any destinations between Birmingham, AL and Linden, NJ, subject to:
 - Any applicable line allocations
 - Grade restrictions
 - Five-day notice ahead of the cycle hitting Greensboro Tank Farm.



Long-Term System Storage - Upstream

- Upstream system storage is upstream of the point of allocation on Colonial mainlines 1 and 2.
- If the applicable mainline is under allocation, the shipper must have allocated space to move the volume out of storage downstream of Collins, MS.
- PTO's out of upstream system storage are allowed if the storage holder doesn't have or desire to ship the batch using there own line space.
- Upstream system storage may be delivered to locations upstream of the point of allocation but downstream of the original origin point of the batch.








Example: Long-Term Storage In (Upstream)

- Shipper AAA has an upstream long-term storage contract in place with Colonial and would like to place this batch into storage.
- The shipper will nominate this request directly from T4




А	Houston (PDA, CBL, HTN)
E	Hebert (HEB, NPA, PAP)
K	Lake Charles (LKC)
S	Krotz Springs (KSG)
В	Baton Rouge (BEG, BEL)
С	Collins (CLL, CSL, PWL)

- In T4, shipper changes delivery to "Local Storage In"
- Location UVJ is used for Upstream Virtual Junction
- Sup/Con is always the shipper's code and Tankage is always CPC
- Linked shipper and product the same; cycle is always "00" and sequence is origin code of the nomination. Origin codes are for storage tracking only.

Event Type	Volume	Location	Sup/Con	Tankage	Grantees	Link Shipper	Link Product	Link Cycle	Link Sequence
Junction	25	UVJ	CPL	CPL					
LocI Storage In ∨	25	UVJ ↓	AAA	CPC	Add	AAA	62	00	А
Receipt	25	HTN	XXX	XXX	Add				



Example: Long-Term Storage Out (Upstream)



- In T4, shipper creates a new batch, using "Local Storage Out" as the origin
- Location UVJ is used for Upstream Virtual Junction
- Sup/Con is always the shipper's code and Tankage is always CPC
- Linked shipper and product the same; cycle is always "00" and sequence is origin code of barrels being lifted from storage.
 Origin codes are for storage tracking only.



Example: Long-Term Storage Out (Upstream) #2

Grantees

Link Product

62

Link Shipper

AAA

Link Cycle

Link Sequence

Houston (PDA, CBL, HTN)


Hebert (HEB, NPA, PAP)

Baton Rouge (BEG, BEL)

Collins (CLL, CSL, PWL)

Lake Charles (LKC)

Krotz Springs (KSG)



Tankage

CPC

XXX

Sup/Con

AAA

XXX

Event Type

Delivery

Transfer Receipt

Volume

25

Location

UVJ


LND

- In T4, shipper creates a new batch, using "Transfer Receipt" as the origin
- Location UVJ is used for **Upstream Virtual Junction**
- Sup/Con is always the shipper's code that is providing the barrels and Tankage is always CPC
- Linked shipper and product the same; cycle is always "00" and sequence is origin code of barrels being lifted from storage. Origin codes are for storage tracking only.



Example: Long-Term Storage In (Downstream)

- Shipper AAA has a downstream long-term storage contract in place with Colonial and would like to place batch AAA-62-611 into storage.
- The shipper will nominate this movement request from T4



Batch Details: CPL-AAA-62-611-

Houston (PDA, CBL, HTN)
Hebert (HEB, NPA, PAP)
Lake Charles (LKC)
Krotz Springs (KSG)
Baton Rouge (BEG, BEL)
Collins (CLL, CSL, PWL)


- In T4, shipper changes delivery to "Local Storage In"
- Location DVJ is used for Downstream Virtual Junction
- Sup/Con is always the shipper's code and Tankage is always CPC
- Linked shipper and product the same; cycle is always "00" and sequence is origin code of the nomination. Origin codes are for storage tracking only.

Туре		Volume	Location	Sup/Con	Tankage	Grantees	Link Shipper	Link Product	Link Cycle	Link Sequence
ot	~	25	HTN ↓	xxx 1	xxx 1					
torage In	V	25	DVJ ↓	AAA	CPC		AAA	62	00	А
										115-53-5



Example: Long-Term Storage Out (Downstream)


- In T4, shipper creates a new batch, using "Local Storage Out" as the origin
- Location DVJ is used for Downstream Virtual Junction
- Sup/Con is always the shipper's code and Tankage is always CPC
- Linked shipper and product the same; cycle is always "00" and sequence is origin code of barrels being lifted from storage.
 Origin codes are for storage tracking only.





Example: Short-Term Storage In (Downstream)

Shipper AAA has a signed Master Service Agreement ("MSA") w/Colonial, allowing them to directly nominate product into short-term storage.




- Shipper AAA wishes to store 5.0 barrels for two cycles on their LND delivery
- Customer will reduce delivery to 20.0 and add an event "Shrt Trm Stg In", short-term storage in, for 5.0 at Greensboro Jct. (Junction varies by location)
- Sup/Con is the shipper's code and Tankage is always CPC
- Linked shipper and product the same; cycle is the next available cycle per the length of the lease. Since AAA will hold for two cycle, the link batch is a C63 batch.

Event Type		Volume	Location	Sup/Con	Tankage	Grantees	Link Shipper	Link Product	Link Cycle	Link Sequence
Receipt	~	25	HTN \downarrow	xxx \downarrow	xxx ↓	Add				
Junction		25	GBJ	CPL	CPL					
Junction		25	LNJ	CPL	CPL					
Delivery	~	20	LND ↓	xxx ↓	xxx ↓	Add				
Shrt Trm Stg	In ∨	5	GBJ ↓	AAA	CPC		AAA	62	63	1



Example: Short-Term Storage Out (Downstream)



2 Nominated Events

Event Type	Volume	Location	Sup/Con	Tankage	Grantees	Link Shipper	Link Product	Link Cycle	Link Sequence
Shrt Trm Stg Out∕	5	GBJ ↓	AAA	CPC		AAA	62	61	1
Delivery V	5	LND \downarrow	xxx ↓	xxx \downarrow					

- In T4, shipper creates a new batch, using "Shrt Trm Stg Out" as the origin
- Location is GBJ, where original batch was stored (can vary)
- Sup/Con is the shipper's code and Tankage is always CPC
- Linked shipper and product the same; cycle links back to the original batch



Example: Short-Term Storage In (Upstream)

Shipper AAA has a signed Master Service Agreement ("MSA") with Colonial, allowing them to directly nominate product into short-term storage.

Batch Details: CPL-AAA-62-611 (apotts)




Event Type	Volume	UOM	Loc	Location Description	S/C	Tnk
Receipt	25	MBbls	HTN	Houston (HTN)	XXX	XXX
Junction	25	MBbls	GBJ	Greensboro J	CPL	CPL
Junction	25	MBbls	LNJ	Linden Junctio	CPL	CPL
Delivery	25	MBbls	LND	Linden Deliver	XXX	XXX

- Shipper AAA wishes to store 10.0 barrels for 2 cycles for short-term storage upstream of Collins
- Customer will reduce LND delivery to 15.0 and add an event "Shrt Trm Stg In" for 10.0 at location UVJ. (location will not vary)
- Sup/Con is the shipper's code and Tankage is always CPC
- Linked batch should be setup as right after saving the changes to the current nom.

Event Type	Volume	Location	Sup/Con	Tankage	Grantees	Link Shipper	Link Product	Link Cycle	Link Sequence
Receipt	25	HTN \downarrow	xxx \downarrow	$xxx \downarrow$	Add				
Junction	25	GBJ	CPL	CPL					
Junction	25	LNJ	CPL	CPL					
Delivery ~	15	LND ↓	AAA ↓	xxx ↓	Add				
Shrt Trm Stg In V	10	UVJ ↓	AAA	CPC		AAA	62	63	1



Example: Short-Term Storage Out (Upstream)



2 Nominated Events

Event Type	Volume	Location	Sup/Con	Tankage	Grantees	Link Shipper	Link Product	Link Cycle	Link Sequence
Shrt Trm Stg Out∕	10	UVJ ↓	AAA	CPC		AAA	62	61	1
Delivery	10	LND \downarrow	xxx \downarrow	XXX	/				

- In T4, shipper creates a new batch, using "Shrt Trm Stg Out" as the origin
- Location is UVJ, where original batch was stored (can vary)
- Sup/Con is the shipper's code and Tankage is always CPC
- Linked shipper and product the same; cycle links back to the original batch



Example: Long-Term Storage Inventory Report

AAA TEST COMPANY Storage

Cycles 08 - 14

Product	Origin	Cycle	Batch	Volume	Total
DVJ					
62	K (LKC)	08			0
62	K (LKC)	09	AAA-62-093	25,000	25,000
62	K (LKC)	10		•	25,000
62	K (LKC)	11			25,000
62	K (LKC)	12			25,000
62	K (LKC)	13			25,000
62	K (LKC)	14			25,000
A4	A (PDA/HTN)	08	AAA-A4-083	25,000	25,000
A4 A4	A (PDA/HTN)	09	AAA-A4-003	25,000	25,000
A4	A (PDA/HTN)	10			25,000
A4	A (PDA/HTN)	11	AAA-A4-113	-15,000	10,000
A4	A (PDA/HTN)	12	7001714 113	13,000	10,000
A4	A (PDA/HTN)	13			10,000
A4	A (PDA/HTN)	14			10,000
	71(1 27 11111)				10,000
UVJ					
62	A (PDA/HTN)	08			25,000
62	A (PDA/HTN)	09			25,000
62	A (PDA/HTN)	10			25,000
62	A (PDA/HTN)	11			25,000
62	A (PDA/HTN)	12			25,000
62	A (PDA/HTN)	13			25,000
62	A (PDA/HTN)	14			25,000
62	B (Baton Rouge)	08			50,000
62	B (Baton Rouge)	09			50,000
62	B (Baton Rouge)	10	AAA-62-108	-25,000	25,000
62	B (Baton Rouge)	11			25,000
62	B (Baton Rouge)	12			25,000
62	B (Baton Rouge)	13			25,000
62	B (Baton Rouge)	14			25,000
A4	A (PDA/HTN)	08			0
A4	A (PDA/HTN)	09			0
A4	A (PDA/HTN)	10			0
A4	A (PDA/HTN)	11			0
A4	A (PDA/HTN)	12	AAA-A4-123	25,000	25,000
A4	A (PDA/HTN)	13			25,000
A4	A (PDA/HTN)	14			25,000
	•				

- Reports are sent daily via email.
- Individuals wishing to receive the report must add "Scheduler" to their assigned roles in T4 User Configuration.







Dale Wiseman

Asset Manager – System Storage, CTL

678-762-2278 (o)

678-333-3828 (m)

dwiseman@colpipe.com

Jim Swanson

Senior Scheduler

678-762-2837 (o)

jswanson@colpipe.com





